L Number	Hits	Search Text	DB	Time stamp
1	14702	(while during) near2 (boot$3 initiali$6)	USPAT; IBM_TDB	2004/05/11 09:54
2	11509	(prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 12:21
3	598	((while during) near2 (boot$3 initiali$6)) AND ((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))	USPAT; IBM_TDB	2004/05/11 12:09
4	0	(((while during) near2 (boot$3 initiali$6)) AND ((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))) AND (IUI (intrinsic near unique))	USPAT; IBM_TDB	2004/05/11 10:22
5	82003	(select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 10:28
6	376	((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))) and (((while during) near2 (boot$3 initiali$6)) AND ((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))))	USPAT; IBM_TDB	2004/05/11 10:28
7	53	(((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))) and (((while during) near2 (boot$3 initiali$6)) AND ((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))))) and (html xml dhtml shtml sgml (mark$4 near language$1))	USPAT; IBM_TDB	2004/05/11 12:09
8	2411	((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))	USPAT; IBM_TDB	2004/05/11 12:19
9	628	((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))	USPAT; IBM_TDB	2004/05/11 14:16
10	10	(((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))) and (((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1)))	USPAT; IBM_TDB	2004/05/11 12:19
11	2355	((((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))) (((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1)))) and (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 12:42

12	985	((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))) and (((((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))) (((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1)))) and (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))	USPAT; IBM_TDB	2004/05/11 12:30
13	371	(((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))) and (((((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))) (((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1)))) and (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))) and (authoriz$6 authoris$6 validat$4)	USPAT; IBM_TDB	2004/05/11 12:35
14	165	((((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))) and (((((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))) (((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1)))) and (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))) and (authoriz$6 authoris$6 validat$4)) and ((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))	USPAT; IBM_TDB	2004/05/11 12:36
15	617	(load$3 execut$3) near3 (html xml dhtml shtml sgml (mark$4 near language$1))	USPAT; IBM_TDB	2004/05/11 12:40

16	3	(((((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in))) and (((((while during) near2 (boot$3 initiali$6)) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1))) (((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) with (load$3 execut$3 html xml dhtml shtml sgml (mark$4 near language$1)))) and (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))) and (authoriz$6 authoris$6 validat$4)) and ((prior before) near3 (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in)))) and ((load$3 execut$3) near3 (html xml dhtml shtml sgml (mark$4 near language$1)))	USPAT; IBM_TDB	2004/05/11 12:36
17	10622	(load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1))	USPAT; IBM_TDB	2004/05/11 12:41
18	8	((while during) near2 (boot$3 initiali$6)) with ((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1)))	USPAT; IBM_TDB	2004/05/11 13:07
19	6	(((while during) near2 (boot$3 initiali$6)) with ((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1)))) and (log$3 logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 13:13
20	131	(boot$4 startup start-up (start near up) initiali$5) with ((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1)))	USPAT; IBM_TDB	2004/05/11 13:31
21	37	((boot$4 startup start-up (start near up) initiali$5) with ((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1)))) and (logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 13:36
22	32960	(boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1)	USPAT; IBM_TDB	2004/05/11 13:36
23	20	((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1))) with ((boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1))	USPAT; IBM_TDB	2004/05/11 13:36
24	12	(((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1))) with ((boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1))) and (logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 14:17
25	5502	((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.	USPAT; IBM_TDB	2004/05/11 14:17

26	1188	((boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)	USPAT; IBM_TDB	2004/05/11 14:17
27	598	(((boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))	USPAT; IBM_TDB	2004/05/11 14:18
28	78	((((boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) and ((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1)))	USPAT; IBM_TDB	2004/05/11 14:19
29	49	(((((boot$4 startup start-up (start near up) initiali$5) near4 (computer$1 system$1 server$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password$1 sign-on sign-in (sign$3 near on) (sign$3 near in))) and ((load$3 execut$3) near3 (web page browser$1 html xml dhtml shtml sgml (mark$4 near language$1)))) and ((select$5 list$1 table$1 choos$3 chos$3 elect$3) near3 (log$3 logon login log-on log-in password$1 users identifier$1 hint$1 identification$1 id$1 identit$3 sign-on sign-in (sign$3 near on) (sign$3 near in)))	USPAT; IBM_TDB	2004/05/11 14:20